




Waterfly®

Pool Equipments

2026

General features for all Racing lanes

The disc consists of wings at different angles, and slots that are orientated to kill the wave more quickly and effectively compared to the other products on the market.

The disc is made in PP with antioxidant and anti-UVA treatment. The pigments, that are used in the colourations for discs and floats, have 8 of colour fastness. 8 is the maximum of Blue Wool Scale – (ISO 105-B01-1988), daylight resistance.

Available colours: green, red, royal blue, yellow and white

Stainless steel cable AISI316 4mm complying to standards EN 12385 4

Waterfly racing lanes are made according to **FINA FR 2.1.7** rules

MaxPro 6 technical features


- Suitable for Olympic swimming pools, both 25 and 50 metres.
- Disc diameter 150 mm.
- 6 PE-HD float per metre
- Advance end fixing (SS 316L spring and take-up reel) lanes

W80006 25 m lanes

W80007 50 m lanes

W80008 per metre

Other lengths available
on request



MaxPro 4

- Suitable for all swimming pools.
- Disc diameter 105 mm.
- 4 PE-HD floats per metre
- **MPII** end fixing as standard or **Advance** as options

Other lengths available on request


W80000 25 m lanes

W80003 33 m lanes

W80001 50 m lanes

W80002 per metre without fixing end

Other lengths available on request



Lane Line Numbers

W80150 SC8 for competitions 8 lanes

W80150 SC10 for competitions 10 lanes

Made according to **WA 16.1.7.4** rules



W80141 Advance



W80140 MPII



COMPETITION 4

- Suitable for all swimming pools.
- Disc diameter 110 mm.
- 6 PE-HD floats per metre
- **MP11** end fixing as standard or **Advance** as options

W80010 25 m lanes

W80011 50 m lanes

Other lengths available on request



W80170 float

W80172 half disc


W80170 full disc



W80152 Lane slider



W80180



Train

- Used where it is necessary to have dividing lines to separate the activities in the pool or to mark the water areas.
- Innovative disc without float, diameter 70 mm.
- Length of the lanes, colour and composition made on Customer request.

TRAIN 10



TRAIN 8



TRAIN 6



RWL



HWL



JWL





1 MP6

W80160 float
W80163 half disc

2 MP4

W80160 float
W80161 half disc
W80162 full disc

3 W80143

MP11 tensioner

4 S80140.NL

flat hook

5 W80147

Spring

6 C80140

Rope thimble 4 mm.

7 W80149

SS 316 cable 4 mm.

8 C80149

Single or double copper
ferrules

9 W80145

Advance take -up reel
including cover

1 W80184

Train disc

2 W80160

Train float

3 W80181

Distance keeper:
SWL - HWL - JWL

4 W80187

Pro-rope 6 mm

5 W80186

PP-rope 6 mm

6 W80190

Simplex wire rope clip
for wire 4 and 6 mm.
Duplex wire rope clip

7 W80352


Eye nut

8 W80353

Threaded rod

9 W80188

Snap-hook 60x60 - 8x80





Lane storage **"ECO"** is made of SS 316L with HPL sides; available in 3 dimensions.

W80251 ECO1

it can store up to:

50 metres of MaxPro4

25 metres of MaxPro6

W80251 ECO2

it can store up to:

100 metres of MaxPro4

50 metres of MaxPro6

W80251 ECO3

it can store up to:

150 metres of MaxPro4

100 metres of MaxPro6



Lane storage **"JUMBO"**

It is made of SS316L with a small HPL disc on the side.

It can store up to 200 metre of MaxPro4 or 150 metre of MaxPro6

W80250 XL.


Underfloor storage lane line with walkable cover.

Made in SS 316 L.

W80153

Storage crate or bag, available for 25 or 50 metres racing lane lines

W80154



W10704 TC4 Digital second timer

4 sets of LEDs of different colors indicate the time 00-59 seconds.

The four indicators are synchronized with increments 00-15-30-45.

LEDs height 15 cm.



W10704 WF-4H analog second timer

4-hands wall second counter.

4 hands with differentiated colors indicate the 15-second interval.

Designed for use in humid environments.

Available with 24 or 230 VAC power supply.

Dimensions: 80 x 80 cm.




W10710 Selecta stopwatch

Stopwatch for coaches and timekeepers, 60 memories, 3 displays.

Functions:

Stopwatch (fast, slow, and average time), lap counter, clock with calendar and alarm.






W82151
Non-slip tile
dimensions 50x50 cm.
Rollable

Available colors



W82160 Footrest mat
Antifungal
dimensions 41x34.
Blue and yellow color




W82100
Floor matting
Non-slip according to DIN 51097
Available widths:
40, 50, 60, 80, 100 e 120 cm

W80610 Soft cover gratings



rollable.

Available widths from
100 to 500 mm.

Heights: 20, 23, 25, 27
30/31 e 35 mm.



Straight or curved






W80285 TS
Advance Plus




W80284
Competition



W80281 TS H-Top



W80280 Champion




W80292 PP TS
TS Platform



W80290 MPP
Replacement handle


W80299
Backstroke starting device



W80296 TS
Smart platform

W80298
False start device





1 Pali

W80301 set of 4 for backstroke

W80311 set of 2 for false-start

2 W80343

False start rope

3 W80340

Backstroke flags

4 Base

W80321 levelled

W80322 inclined

5 W80331

Lane holder

6 W80345

Vacuum hook

7 W80345D

Double vacuum hook

1 W80350 Q

Lane anchor square

2 W80350 PVC

Lane anchor for pool liner

3 W80321 ASP

Square socket for flat lane holder

4 W80351

Lane anchor foldaway

5 W80350 T

Lane anchor round

6 W80354

Lane anchor with ring

7 W80331 ASP

Post for flat lane holder

8 W80321 TASP

Round socket for flat lane holder

9 W80323

Flat lane holder





W80820
Movable Bulkhead

W80800
Turning Board





W80570
Headwall





W80590

Deep reduction platform
- stainless steel



W80400

Lap counter
for 800 and 1500 meters races
Dimensions: 40 x 40 cm.
A pedestal model is available upon
request.



W82401

W4U pool lift for customers with limited mobility.
Recommended for deck level pools or with skimmer.
Made of aluminium with stainless steel arm.
Available in standard or XL version with extended arm.

W80361

Removable handrail





W82402

W4U-2 is an advanced pool lift for independent swimming pool access

Recommended for deck level pools or with small curbs

Made of aluminium with stainless steel arm
Available in standard, Maxi or SPA version

W82403

FX-S is an innovative pool lift, adaptable to your needs

The unique movable arms system provides multiple configurations and great flexibility.

FX-S is the smart solution for a wide range of pool decks, wellness and rehabilitation centres.

FX-S is available in 2 different sizes:

STANDARD with 180 kg lifting capacity.

MAXI with extended arms and 250 kg capacity.

The lift can be equipped with a fixed seat, movable seat or with a stretcher.



W83209 100 4D



Waterfly
Time



Waterfly
Date



Waterfly
Air

W83209 100 6D



Waterfly
Time



Waterfly
Date



Waterfly



Waterfly



W83209 150 6D

W83209 DAT

Complete way displaying Time and info about various pool areas. Time, date air and relative humidity within Swimming Pools and Leisure Centres. Our display provides accurate readout of the current info status.

Available in 4 or 6 digit with different visibility:

Model 100 visibility 50 metres

Model 150 visibility 75 metres

Model 250 visibility 150 metres



W83203 DAT PRO

Simultaneous display of information about the pool area.

Time and date, water temperature, air temperature and relative humidity in swimming pools and leisure centres.

Our display provides an accurate reading of the current information status.

Available in 4 or 6 digit with different visibility:

Model 80 visibility 40 m.

Model 150 visibility 75 m.

Model 250 visibility 150 m.



WATERFLY produce professional equipment for Water Polo. We customise the field according to the needs of the pool and we supply all products to make your venue compliant with **WORLD AQUATICS**.

Contact us for goals, scoreboard, catwalk and other equipment for competition and training.



The new regulations introduced by **WORLD AQUATICS** in **2025** have established that the playing field will have a single size of 25x20. **WATERFLY** offers the modularity of the field based on your needs, and can be customized in size, configuration, and type of

Side lane lines

achievable with the **MP4** or **MP6** disc, they comply with the **WORLD AQUATICS 18.1.2** and **18.1.7** directives

Pool length:

25 meters - **W43501 MP4 25**

33 meters - **W43501 MP4 33**

35 meters - **W43501 MP4 35**

50 meters - **W43501 MP4 50**

Goal lines

As with the side lanes, they can be constructed with the **MP4** or **MP6** disc; they comply with **WORLD AQUATICS** guidelines **18.1.2** and **18.1.7**.

Normally, 8 lines are required per playing field, but for 25-meter pools, 4 are typically used.

Pool width:

16,5 meters - **W43500 MP4 16x4**

20 meters - **W43500 MP4 20x8**

21 meters - **W43500 MP4 21x8**

25 meters - **W43500 MP4 25x8**





W43003 ADV-23

The lightest floating goal on the market.
All frames made in aluminium, cross/post bar
powder painted white.
High-strength PP floats.
Good stability and high buoyancy.



W43004 ADVF-23

Same model as the **ADV-23**, but can be
folded completely assembled and stored in
a small space.
It facilitates poolside organization.

W43022 F-E PRO

Cross/post frame made in aluminium powder painted white. The structure that hold the cross/post frame is customised for the pool edge and made in round SS316-Ti

Dimension 300x90 cm.
Depth 65 cm. ; others on request.



W43020 F-E ECO

Cross/post frame made in aluminium powder painted white.
The structure is entirely made of 30x30 mm. square SS316.
The goal is custom-designed to fit the pool

Dimension 300x90 cm.
Depth 65 cm. ; others on request.

W43006 SMART 2.5

Beach Polo goal or U12.
Front crossbar made of powder-coated aluminum, PP floats.
Available in both fixed and foldable versions.

Crossbar dimensions: 250x80





W43054

Structure made entirely of aluminum with removable crosspieces.
Available in the following versions:

W43054-U12, dimensions 250x80 cm. or **W43054 Haba-Waba**, dimensions 225x75 cm. Both models are floating.

Goal net
available for all size and model
of water polo goal





Minipolo

Structure made entirely of aluminum with removable crosspieces.
Available in widths 120, 150, 200 e 300 cm.,
Cross/post bar height 90 cm. Floating

W43050 dimensions 120 & 200 cm.
W43051 dimensions 120 cm.
W43052 dimensions 150 cm.
W43053 dimensions 200 cm.
W43054.300 dimensions 300 cm.

Spare parts available on request.



W42065
Ball N° 5



W42064
Ball N°4



W42063
Ball N°3



W42104
Overload ball
gr. 900



W42001
Ball N°1



W42501



W32080



Balls net

W42510 - 5 balls
W42511 - 10 balls



W43512 22

Kit 22 indicators
4 Yellow, 6 White, 12 Red




W43512 Foam indicator
single colour:
Fits in MP4 disc



W43510 Cone, single color




W42520 Ball release



W42515 Ball holder ring

W42550 Double fields tactical board

W42559 Customised tactical board





W43530 Referee catwalki
Waterfly catwalk is easy to install and to put away after the competition.

Catwalk is made according to **WA 18.3.2**



W43560 Team bench
Made in SS316 with anti-skid marine plywood, seats made in PP with UV-protection.

It is available with 10 or 12 seats

Cover on request




Stop nets

Available in different mesh sizes and rope diameters

W42601 Jury-flags
Available in set of 4 or single per color:

Yellow, Red, Blue and White



Waterfly offers a wide range of aquatic scoreboards for your aquatic centre. We can customise a scoreboard to fit your needs and your budget, whether it is a portable scoreboard, wall mounted scoreboard, Ledwall, or any combination of these options.

Contact us to find the right scoreboard for you.

W44030 30 IFA TN MATRIX





W44025 25 IFA14 TN

Scoreboard WP-250

- Team name 9 characters
- Game time
- Time out
- Period
- Score
- Double Player expulsion per Team
- Alphabetical foul indicator 14x10
- Coach indicator



W84101 25 2PE TN3

Canoe Polo scoreboard

- Team name 3 ch.
- Game Time
- Period
- Score
- Double exclusions per Team

Official Scoreboard:
World Championship 2016
ECA Canoe Polo 2019
ECA Canoe Polo 2021



W44004 II

Scoreboard WP-150 4D

- Game Time
- Period
- Score
- Portable
- Battery powered

Waterfly offers different options of shot clocks. These shot clocks can also be used as pace clocks when you are not using them for a water polo match.



W44202 25



W44203 45

Technical features

- Indoor or Outdoor
- Indication of possession time and game time
- Cable or wireless connection
- Integrated 115dB piezo horn.
- Synchronised with the scoreboard or Independent use (optional)
- Powered by 12Vdc battery or via 110 or 230 Vac mains
- LEDs colour customisable (White, orange, green, blue and red)



W44203 25

FINAL GAME-2020

W83208 Matrix

The monochromatic LED Matrix panel is used to display messages in real time or preloaded in memory. It is made according to the customer's need. It can be used in combination with the scoreboard or individually. The colour of the LEDs can be customised.



Technical features

- Different resolution available according to the need.
- Matrix with red, yellow, white or blue LEDs
- Use of multiple Matrix panels connected at the same time
- Customizable internal memory to preload messages.
- Connection via Ethernet interface
- Possibility of displaying date, time, temperature.
- Customizable brightness levels also according to the external light.
- Aluminum frame



Waterfly s.r.l. - Strada Provinciale 23/B Km.3,250 - 94017 Regalbuto (EN) Italy - Tel. +39 0935 910073
e-mail: info@waterfly.com - www.waterfly.com - www.corsienuoto.com

